

APPENDIX 6

10440 INTERIOR SIGNAGE REQUIREMENTS

SIGNAGE TYPES:

Signage as manufactured by **KROY Sign Systems**, 14555 N. Hayden Road, Scottsdale AZ 85260

STANDARD for all signs:

- **Arch Gray color** Plate & Border.
- **University Logo** (for sign types B & C).
- Helvetica Upper Case Text – Color: **White**.
- **Printed Inserts** included w/Sign types:
- Tactile Grade II **Braille plate** - required for all sign types.
- **Radius** corners
- Adhesive tape mounting Standard.
- Furnish and Install - Mount according to ADA location and height requirements

A. SMALL DIRECTORY – W/ ROOM NAME & NUMBER W/ (4) SLOT INSERTS.

8.5”w x 8.5”h Low Profile Frame – 4 Slot (5/8” slot height)

With a **8”w x 4”h Styrene Insert** and **White copy:**

1” Room Number- Left justified.

5/8” Room Name- Right Centered.

A1. DEPARTMENT DIRECTORY – W/(2) ROW HEADER & (9) SLOT INSERTS.

8.5”w x 12.5”h Low Profile Frame – 8 Slot (5/8” slot height)

With a **8”w x 3”h Styrene Insert** and **White copy:**

3/4” Description- Centered. (2) Rows.

B. CLASSROOM - W/ (2) SLOT INSERTS and LOGO.

6.5”w x 6.5”h Low Profile Frame – 2 Slot (1/2” slot height)

With a **6”w x 4.06”h x .010t Arch Gray Photopolymer Tactile ADA Plate** applied To face leaving a **1/4” boarder** reveal with raised **White copy** and **Grade II Braille.**

1” Room Number – Left justified.

C. OFFICE – W/ (4) SLOT INSERTS and LOGO.

6.5”w x 6.5”h Low Profile Frame – 4 Slot (1/2” slot height)

With a **6”w x 2.75”h x .010t Arch Gray Photopolymer Tactile ADA Plate** applied To face leaving a **1/4” boarder** reveal with raised **White copy** and **Grade II Braille.**

1” Room Number – Left justified.

D1. SUITE DIRECTORY – W/ ROOM NAME & NUMBER W/ (7) SLOT INSERTS.

8.5”w x 12.5”h Low Profile Frame – 7 Slot (5/8” slot height)

With a **8”w x 4.875”h x .010t Arch Gray Photopolymer Tactile ADA Plate** applied to face leaving a **1/4” boarder** reveal with raised **White copy** and **Grade II Braille.**

3/4” Room Number- Left justified.

5/8” Room Name- Centered. (3) Rows.

APPENDIX 6

10440 INTERIOR SIGNAGE REQUIREMENTS

- D. SUITE DIRECTORY – W/ROOM NAME & NUMBER W/ (9) SLOT INSERTS.**
8.5”w x 12.5”h Low Profile Frame – 9 Slot (5/8” slot height)
With a **8”w x 3”h x .010t Arch Gray Photopolymer Tactile ADA Plate** applied to face leaving ¼” boarder reveal with raised **White copy and Grade II Braille.**
5/8” Room Number- Left justified.
3/4” Room Name- Centered. (1) Row.
- E. ROOM NUMBER PLATE.**
6.5”w x 2.5”h x 1/8”t Reverse painted acrylic painted Arch Gray with a **6”w x 2”h x .010t Arch Gray Photopolymer Tactile ADA Plate** applied to face leaving a ¼” reveal with raised **White copy and Grade II Braille** located below text.
5/8” Room Number- left justified.
- E1. ROOM NAME AND NUMBER PLATE.**
8.5”w x 2.5”h x 1/8” Reverse painted acrylic painted Arch Gray with a **8”h x 2”w x .010 Arch Gray Photopolymer Tactile ADA Plate** applied to face leaving a ¼” reveal with raised **White copy and Grade II Braille.**
5/8” Room Number- Left Justified.
5/8” Room Name – Right Justified.
Or
5/8” Text - Centered on plate.
- E2. (2)-LINE PHOTOPOLYMER TACTILE ADA PLATE.**
8.5”w x 3.5”h x 1/8” Reverse painted acrylic painted Arch Gray with a **8”w x 3.0”h x .010 Arch Gray Photopolymer Tactile ADA Plate** applied to face leaving a ¼” reveal with raised **White copy and Grade II Braille.**
5/8” Room Number- Left Justified.
5/8” Room Name – Centered.
Or
1” Text – Centered on plate.
- E3. (3)-LINE PHOTOPOLYMER TACTILE ADA PLATE.**
8.5”w x 4.5”h x 1/8”t w/directional (**Arrow** pointing).
Reverse painted acrylic painted Arch Gray with a **8”w x 4.0”h x .010t Arch Gray Photopolymer Tactile ADA Plate** applied to face leaving a ¼” reveal with raised **White copy, Arrow and Grade II Braille.**
3/4” Room Number- Left Justified.
5/8” Room Name – Each line Centered.
“1S1 / STAIRS / FIRST FLOOR” or
“MENS’S RESTROOM / LOCATED ON / FIRST FLOOR”.
Or (2) Lines of ¾” text.
“CLASSROOMS / 101 & 102 (arrow)”
- E4. (4)-LINE PHOTOPOLYMER TACTILE ADA PLATE.**

APPENDIX 6

10440 INTERIOR SIGNAGE REQUIREMENTS

8.5”w x 5.5”h x 1/8” Reverse painted acrylic painted **Arch Gray** with a **8”w x 4.75”h x .010** Arch Gray Photopolymer Tactile ADA Plate applied to face leaving a 1/4” reveal with **raised White copy and Grade II Braille.**

3/4” Room Number- Left Justified.

5/8” Room Names – Each line Centered.

E5. LARGE PHOTOPOLYMER TACTILE ADA PLATE.

8.0”w x 8.0”h x 1/8” Reverse painted acrylic painted **Arch Gray** with a **7.5”w x 7.5”h x .010** Arch Gray Photopolymer Tactile ADA Plate applied to face leaving a 1/4” reveal with **raised White copy and Grade II Braille.**

1” Room Names – Each line Centered.

“THIS IS NOT AN ENTRANCE” or “EMERGENCY EXIT ONLY”.

E6. LARGE PHOTOPOLYMER TACTILE ADA PLATE.

12.5”w x 12.5”h x 1/8” Reverse painted acrylic painted **Arch Gray** with a **12.0”w x 12.0”h x .010** Arch Gray Photopolymer Tactile ADA Plate applied to face leaving a 1/4” reveal with **raised White copy and Grade II Braille.**

3/4” Room Names – Each line Centered.

“RESTRICTED AREA / FOOD SERVICE / AND / DELIVERIES / ALLOWED / BEYOND THIS POINT”.

F. WOMEN’S ADA - ISA RESTROOM SIGN.

KROY #2385232 ADA 8 x 8 x 1/8” “RESTROOM” Injection molded plastic standard regulatory restroom sign. **Arch Gray sign** color with **White raised copy and Braille.** Mount with **Anti-Theft/ vandal resistant screws** at (4) corners.

G. MEN’S ADA - ISA RESTROOM SIGN.

KROY #2385231 ADA 8 x 8 x 1/8” “RESTROOM” Injection molded plastic standard regulatory restroom sign. **Arch Gray sign** color with **White raised copy and Braille.** Mount with **Anti-Theft/ vandal resistant screws** at (4) corners.

H. UNISEX ADA - ISA RESTROOM SIGN.

KROY #2385233 ADA 8 x 8 x 1/8” UNISEX RESTROOM” Injection molded plastic standard regulatory restroom sign. **Arch Gray sign** color with **White raised copy and Braille.** Mount with **Anti-Theft/ vandal resistant screws** at (4) corners.

J. NO SMOKING TACTILE SIGN.

KROY #2385234 ADA 8 x 8 x 1/8” “NO SMOKING” Injection molded plastic standard regulatory sign. **Arch Gray sign** color with **White raised copy and Braille.**

K. Handicap EXIT TACTILE SIGN.

8” x 8” x 1/8” “EXIT” w/Text (NO Arrow)

Reverse Painted Acrylic Painted **Arch Gray** with Photopolymer Tactile ADA, **5/8” raised White copy and Grade II Braille.**

K1. Handicap EXIT TACTILE SIGN.

8” x 8” x 1/8” “EXIT” w/directional Arrow pointing **LEFT or RIGHT.**

APPENDIX 6

10440 INTERIOR SIGNAGE REQUIREMENTS

Reverse Painted Acrylic Painted **Arch Gray** with Photopolymer Tactile ADA, **5/8"** raised **White copy**, **Arrow** and **Grade II Braille**

- L. **STAIRS TACTILE SIGN.**
KROY #2385235 8 x 8 "STAIRS" Injected molded plastic standard regulatory sign. Arch Gray sign color with White **raised copy** and **Braille**.
- M. **IN CASE OF FIRE TACTILE SIGN.**
8" x 8" x 1/8" "**IN CASE OF FIRE DO NOT USE ELEVATOR USE STAIRS**" Reverse Painted Acrylic Painted **Arch Gray** with Photopolymer Tactile ADA, **1/2"** raised **White copy** and **Grade II Braille**.
- N. **EXIT TACTILE SIGN.**
8" x 8" x 1/8" "**EXIT**" Reverse Painted Acrylic Painted **Arch Gray** with Photopolymer Tactile ADA , **5/8"** raised **White copy** and **Grade II Braille**
- P. **ELEVATOR TACTILE SIGN.**
8" x 8" x 1/8" "**ELEVATOR**" Reverse Painted Acrylic Painted **Arch Gray** with Photopolymer Tactile ADA , **5/8"** raised **White copy** and **Grade II Braille**.
- Q. **BACKER PANEL.**
Panel mounted on glass locations, at rear side of sign. **MATERIAL?**
- Size and color to match sign.
 -
- R. **EXTERIOR SIGN PLATE.**
8"w x 2"h Room Name plate. Standard color (Arch Gray) Exterior Grade Photopolymer, **REFLECTIVE Copy** and **Braille**
5/8" Room Name – Centered.
- Sign color may vary.
 - Text color may vary.
- S. **FLAG BRACKET wall mounted W/SIGN PLATE.**
(Size varies) **8.5"w x 4.5"h** Low Profile Frame
With a **8"w x 4"h** Styrene Insert and **White copy**:
3/4" Room Name- Centered. **On both sides of sign.**
- **SIZE** of sign and **TEXT** height may vary.
 - **MOUNTING** Hardware "**L**"-shape brackets to fasten to wall. "**WOMEN'S / RESTROOM**".

Standard sign types shown on next two pages. AutoCad versions of these signs are available upon request.

10440 INTERIOR SIGNAGE REQUIREMENTS

STANDARD SIGN TYPES A - G1

<p>SMALL RECEPTION 1122 SCIENCE SIGN TYPE A</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille (1) - 5/8" x 1/2" KEYS</p>	<p>DEPARTMENT SIGN TYPE A1</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille 11" HIGHEST</p>	<p>CLASSROOM (AS SHOWN) SIGN TYPE B</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille 17" HIGHEST</p>	<p>OFFICE (AS SHOWN) SIGN TYPE C</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille 17" HIGHEST</p>	<p>SITE DIRECTORY (AS SHOWN) SIGN TYPE D</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille</p>	<p>SITE DIRECTORY (AS SHOWN) SIGN TYPE D1</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille</p>	<p>EXPLANER (AS SHOWN) SIGN TYPE E</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille</p>	<p>ROOM NO. & NAME SIGN TYPE E1</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille</p>	<p>EXPLANER (AS SHOWN) SIGN TYPE E2</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille</p>	<p>EXPLANER (AS SHOWN) SIGN TYPE E3</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille</p>	<p>MESSAGE MULTILINGUAL SIGN TYPE E4</p> <p>6.5x15.5 - 1/2" VERTICAL & BRaille</p>	<p>EMERGENCY ONLY SIGN TYPE E5</p> <p>EMERGENCY ONLY ONLY 6.5 - 1/2" VERTICAL & BRaille</p>	<p>EMERGENCY ONLY ONLY SIGN TYPE E5</p> <p>EMERGENCY ONLY ONLY 6.5 - 1/2" VERTICAL & BRaille</p>	<p>THIS IS A RESTRICTED AREA SIGN TYPE E6</p> <p>THIS IS A RESTRICTED AREA 11" HIGHEST</p>	<p>WOMEN'S RESTROOM (RESTROOM) SIGN TYPE F</p> <p>WOMEN'S RESTROOM (RESTROOM) 6.5 - 1/2" VERTICAL & BRaille RESTROOM WOOD PLASTIC</p>	<p>WOMEN'S RESTROOM (RESTROOM) SIGN TYPE F1</p> <p>WOMEN'S RESTROOM (RESTROOM) 6.5 - 1/2" VERTICAL & BRaille RESTROOM WOOD PLASTIC</p>	<p>WOMEN'S RESTROOM (RESTROOM) SIGN TYPE G</p> <p>WOMEN'S RESTROOM (RESTROOM) 6.5 - 1/2" VERTICAL & BRaille RESTROOM WOOD PLASTIC</p>	<p>WOMEN'S RESTROOM (RESTROOM) SIGN TYPE G1</p> <p>WOMEN'S RESTROOM (RESTROOM) 6.5 - 1/2" VERTICAL & BRaille RESTROOM WOOD PLASTIC</p>
--	--	---	--	--	---	--	---	---	---	--	---	--	--	---	--	---	--

10440 INTERIOR SIGNAGE REQUIREMENTS

STANDARD SIGN TYPES H - S

<p>1. FIRST AND SECOND FLOOR RESTROOM</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>RESTROOM</p> <p>SIGN TYPE H</p>	<p>1.2. SINGLE RESTROOM</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>RESTROOM</p> <p>SIGN TYPE HI</p>	<p>1.3. SMOKE DETECTOR</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>NO SMOKING</p> <p>SIGN TYPE J</p>	<p>1.4. ALL ACCESSIBLE TOILET</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>EXIT</p> <p>SIGN TYPE K</p>	<p>1.5. ALL ACCESSIBLE TOILET / OCCUPANCY ADJUST</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>EXIT</p> <p>SIGN TYPE K1</p>	<p>1.6. STAIRS - EXTERIOR</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>STAIRS</p> <p>SIGN TYPE L</p>
<p>1.7. CASE OF FIRE - EXTERIOR</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>IN CASE OF FIRE DO NOT USE FIRE EXTINGUISHER USE STAIRS</p> <p>NEW SIGN TYPE M</p>	<p>1.8. TOILET ROOM</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>EXIT</p> <p>SIGN TYPE N</p>	<p>1.9. ELEVATOR - EXTERIOR</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>ELEVATOR</p> <p>SIGN TYPE P</p>	<p>1.10. ELEVATOR</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>ELEVATOR</p> <p>SIGN TYPE Q</p>	<p>1.11. BACK PANEL FOR SIGN TYPES</p> <p>SIGN TYPE Q</p>	<p>1.12. ELEVATOR SERVICES</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>ELEVATOR SERVICES GROUND FLOOR SECOND FLOOR</p> <p>SIGN TYPE P1</p>
<p>1.13. ELECTRICAL RM</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>ELECTRICAL RM</p> <p>SIGN TYPE R</p>	<p>1.14. MECHANICAL RM</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>MECHANICAL RM</p> <p>SIGN TYPE R</p>	<p>1.15. MESSAGE WALL-FLOOR SIGN</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>PLUG BRACKET MOUNTED ON WALL @ 7'-4" H.F.</p> <p>104</p> <p>SIGN TYPE T</p>	<p>1.16. ELEVATOR SERVICES</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>ELEVATOR SERVICES GROUND FLOOR SECOND FLOOR</p> <p>SIGN TYPE P1</p>	<p>1.17. ELEVATOR SERVICES</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>ELEVATOR SERVICES GROUND FLOOR SECOND FLOOR</p> <p>SIGN TYPE P1</p>	<p>1.18. ELEVATOR SERVICES</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>ELEVATOR SERVICES GROUND FLOOR SECOND FLOOR</p> <p>SIGN TYPE P1</p>
<p>1.19. KEY ACCESS ELEVATOR</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>KEY ACCESS ELEVATOR</p> <p>SIGN TYPE S</p>	<p>1.20. WOMEN'S RESTROOM</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>WOMEN'S RESTROOM</p> <p>SIGN TYPE S</p>	<p>1.21. KEY ACCESS ELEVATOR</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>KEY ACCESS ELEVATOR</p> <p>SIGN TYPE S</p>	<p>1.22. WOMEN'S RESTROOM</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>WOMEN'S RESTROOM</p> <p>SIGN TYPE S</p>	<p>1.23. WOMEN'S RESTROOM</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>WOMEN'S RESTROOM</p> <p>SIGN TYPE S</p>	<p>1.24. WOMEN'S RESTROOM</p> <p>8x8 - 1/4" ALUMINUM EXTRUSION 8x8 - 1/4" TABLE & BRASS BACKLIT WITH LED PLASTIC</p> <p>WOMEN'S RESTROOM</p> <p>SIGN TYPE S</p>